

GREATER NOIDA INDUSTRIAL DEVELOPMENT AUTHORITY

Plot No.1, Sector KP-4, Greater Noida

District-Gautam Budh Nagar (U.P.)

Ref.: HD/2024/ 805

Date: 29 / 07 / 2024

Corrigendum/Addendum

Processing of 300 TPD Wet Waste at Astauli, Greater Noida कार्य हेतु निविदा आमंत्रण प्रक्रियारत है। उक्त निविदा के पुनरीक्षित द्वितीय शुद्धि पत्र संख्या-स्वा0वि0/2024/799, दि0 27.07.2024 के माध्यम से अपलोड किया गया था, जिसमें निम्नलिखित पैरा में लिपिकीय त्रुटि होने के कारण संशोधित पैरा निम्नानुसार है-

Sl. No.	Pg No	Clause No	Existing Clause as per letter No-H.D./2024/799, dt.-29.07.2024	Correct Response of GNIDA
1	29	Clause No. 4.2 Eligibility Condition point 2	<p>Experience of having successfully completed similar works during the last 7 years ending last day of the month previous to the one in which applicants are invited with Govt./Semi Govt./PSU/Private (should be certified by Central/State Pollution Control Board) Assuming production of output 10 TPD of CBG from an input 300 TPD wet waste processing plant.</p> <ul style="list-style-type: none">• Three similar completed works of not less than the 30(forty) percent i.e., 4 TPD of CBG from wet waste processing;• Two similar completed works of not less than the 40(sixty) percent i.e., 6 TPD tons of CBG from wet waste processing or• One similar completed LoA work of not less than the 50(eighty) percent i.e., 8 TPD of CBG from wet waste processing; and <p>Definition of "similar works' means experience of setting up Compostable Fraction of MSW based CBG plant during</p> <p>last 7 (seven) financial years for a Government, State Government, local body (i.e., Municipal Corporation/ Development authorities), PSU, Private should be certified by Central/State Pollution Control Board with MSW feed and should be certified by in India</p>	<p>Experience of having successfully completed similar works during the last 7 years ending last day of the month previous to the one in which applicants are invited with Govt./Semi Govt./PSU/Private (should be certified by any competent government authority)</p> <p>Assuming production of output 10 TPD of CBG from an input 300 TPD wet waste processing plant.</p> <ul style="list-style-type: none">• Three similar completed works of not less than the 30 (thirty) percent i.e., 3 TPD of CBG from wet waste processing; or• Two similar completed works of not less than the 40 (forty) percent i.e., 4 TPD tons of CBG from wet waste processing; or• One similar completed work of not less than the 50 (fifty) percent i.e., 5 TPD of CBG from wet waste processing; and <p>Definition of "similar works' means experience of setting up Compostable Fraction of MSW based CBG plant during last 7 (seven) financial years for a Government, State Government, local body (i.e., Municipal Corporation/ Development authorities), PSU, Private should be certified by any competent government authority with MSW feed and should be certified by in India</p>

(Chetram Singh)
Sr. Manager (Health)

1. P.A. to C.E.O. Sir
2. A.C.E.O. (G./S.L.) Maám.
3. G.M. (Fin.). Sir
4. S.M. (Tech./Tender Cell) necessary action.
5. In-charge (System) for upload on Website.
6. Notice Board.


29/7/2024
Sr. Manager (Health)